


# COMMERCIAL DOOR HARDWARE


## COMMERCIAL DOOR CLOSERS

- Universal application, non-handed for standard, top jamb or parallel arm installation
- Adjustable closing & latching speed by two separate regulating valves
- Rack and pinion mechanism contained in high tensile precision housing
- Surface mount installation


Standard Installation



Parallel Installation



Top Jamb Installation



CLOSER SIZE	# 1	# 2	# 3	# 4	#5
DOOR WEIGHT	33-66 lbs	55-99 lbs	88-143 lbs	121-187 lbs	133-199 lbs

### GRADE 1

#### 9000 Series



Sized 1 thru 4  
Factory Preset at 3

Meets ANSI 156.4 Grade 1 standards; Heavy duty; Rated for handicap entrance; Adjustable spring power; Standard adjustable-backcheck function; Adjustable delayed action (DA) preset at the factory for approximately 20 seconds, between 70° and 120°; Barrier free; Reduced spring power for handicapped or elderly

Conforms to ADA & ANSI Codes



CODE	SIZE	HOLE CENTERS	FINISH	PACK	INNER	MASTER
16142	#1 - #4	9-1/16" x 3/4"	Aluminum	Box	1	6
16144	#1 - #4	9-1/16" x 3/4"	Bronze	Box	1	6

Recommended operating temperature is between -15° to +40° degrees Celsius, 5° to 104° degrees Fahrenheit; Can be used -20° to +50° degrees Celsius, -4° to 122° Fahrenheit but latching and closing speed should be readjusted

#### CROSS REFERENCE CHART

	ULTRA	S.PARKER <sup>1</sup>	CAL ROYAL <sup>1</sup>	TELL <sup>1</sup>	LCN <sup>1</sup>	NORTON <sup>1</sup>	GLOBAL <sup>1</sup>	DOR.O.MATIC <sup>1</sup>	YALE <sup>1</sup>
9000 Series	900	300	600	430	1601	TC201	SC61	51BF	

### GRADE 2

#### 500S Series



Meets Grade 2 standards; Dual valve; Atlas brand door closer; UL listed; Narrow design; Furnished w/parallel arm bracket




Look for  
NEW Code Numbers

Parallel Arm  
Bracket Included

CODE	SIZE	HOLE CENTERS	FINISH	PACK	INNER	MASTER
16120	#1	6-3/8" x 7/8"	Aluminum	Box	1	10
16122	#2	6-5/8" x 3/4"	Aluminum	Box	1	10
16124	#3	8-3/16" x 3/4"	Aluminum	Box	1	10
16126	#4	9-1/16" x 3/4"	Aluminum	Box	1	10
16137 NEW	#5	9-1/16" x 3/4"	Aluminum	Box	1	10
16135 NEW	#1	6-3/8" x 7/8"	Bronze	Box	1	10
16130	#2	6-5/8" x 3/4"	Bronze	Box	1	10
16132	#3	8-3/16" x 3/4"	Bronze	Box	1	10
16134	#4	9-1/16" x 3/4"	Bronze	Box	1	10
16136 NEW	#5	9-1/16" x 3/4"	Bronze	Box	1	10

<sup>1</sup>The following registered trademark is not owned, associated with or connected in any way with Ultra Hardware Products LLC and is used herein for illustrative purposes only.

HOW TO MEASURE HOLE CENTERS\*




\*Example: Code 16147 (not shown exactly to scale)

GRADE 2 *continued*

500BC Series



Meets Grade 2 standards; Triple valve; UL listed; Adjustable back check function 70° to 85° prevents striking wall; Furnished w/parallel arm bracket



CODE	SIZE	HOLE CENTERS	FINISH	PACK	INNER	MASTER
16146	#3	8-3/16" x 3/4"	Aluminum	Box	1	10
16147	#4	9-1/16" x 3/4"	Aluminum	Box	1	10
16148	#5	9-1/16" x 3/4"	Aluminum	Box	1	10
16145	#3	8-3/16" x 3/4"	Bronze	Box	1	10
16149	#4	9-1/16" x 3/4"	Bronze	Box	1	10
16150	#5	9-1/16" x 3/4"	Bronze	Box	1	10

500SL Series



Meets Grade 2 standards; Slimline; Adjustable spring power; 4 Adjusting valves; UL listed; Back check; Delayed action (DA); Parallel arm bracket sold separately



Look for  
**NEW Code Numbers**



CODE	SIZE	HOLE CENTERS	FINISH	PACK	INNER	MASTER
16184 NEW	#2-#4	9-1/16" x 3/4"	Aluminum	Box	1	10
16185 NEW	#2-#4	9-1/16" x 3/4"	Bronze	Box	1	10

500CS – Compact Series



Meets Grade 2 standards; Dual valve; UL listed; Parallel arm brackets sold separately



**NEW Series!**

CODE	SIZE	HOLE CENTERS	FINISH	PACK	INNER	MASTER
16186 NEW	#1	5-3/16" x 25/32"	Aluminum	Box	1	10
16188 NEW	#2	5-3/16" x 25/32"	Aluminum	Box	1	10
16190 NEW	#3	6-3/4" x 3/4"	Aluminum	Box	1	10
16192 NEW	#4	8-1/8" x 3/4"	Aluminum	Box	1	10
16194 NEW	#5	8-1/8" x 3/4"	Aluminum	Box	1	10
16187 NEW	#1	5-3/16" x 25/32"	Bronze	Box	1	10
16189 NEW	#2	5-3/16" x 25/32"	Bronze	Box	1	10
16191 NEW	#3	6-3/4" x 3/4"	Bronze	Box	1	10
16193 NEW	#4	8-1/8" x 3/4"	Bronze	Box	1	10
16195 NEW	#5	8-1/8" x 3/4"	Bronze	Box	1	10

See Grade 2  
Lever Handle Locksets  
on Pages 27 & 28

**RESIDENTIAL GRADE DOOR CLOSERS**

- For metal and wood doors up to 150 lbs.
- Non-handed (for left and right swing doors)

CLOSER SIZE	# 1	# 2	# 3	# 4	#5
DOOR WEIGHT	33-66 lbs	55-99 lbs	88-143 lbs	121-187 lbs	133-199 lbs

**HYDRAULIC DOOR CLOSER**




Single valve back plate; Aluminum die-cast body construction; Standard top jamb; Heavy duty color plastic casing; Compact design; Furnished w/screws & instructions. Limited Mechanical Warranty. Call customer service for details.



CODE	SIZE	MAX. WIDTH	ARM	UL RATED	FINISH	PACK	INNER	MASTER
16110	#1	30"	Fixed	✓	Ivory	Clamshell	1	5
16112	#2	36"	Adjustable	✓	Ivory	Clamshell	1	5
16114	#3	38"	Adjustable	✓	Ivory	Clamshell	1	5
16116	#1	36"	Fixed	N/A	Ivory	Clamshell	1	5
16117	#2	36"	Adjustable	N/A	Ivory	Clamshell	1	5
16118	#3	38"	Adjustable	N/A	Ivory	Clamshell	1	5
16111	#1	30"	Fixed	✓	Brown	Clamshell	1	5
16113	#2	36"	Adjustable	✓	Brown	Clamshell	1	5
16115	#3	38"	Adjustable	✓	Brown	Clamshell	1	5
16119	#1	36"	Fixed	N/A	Brown	Clamshell	1	5
16121	#2	36"	Adjustable	N/A	Brown	Clamshell	1	5
16123	#3	38"	Adjustable	N/A	Brown	Clamshell	1	5

**MINI DOOR CLOSERS**



Heavy duty zinc die cast housing construction; Automatically closes the door; Furnished with 3-1/4" x 7/8" roll plate to prevent damage to door; Adjustable tension rod; Main body fits on door jamb

CODE	FINISH	PACK	INNER	MASTER
15990	White	Clamshell	6♦	36
15995	Brown	Clamshell	6♦	36
15998	Black	Clamshell	6♦	36
15999	White	Box	12♦	48
15997	Brown	Box	12♦	48
15993	Black	Box	12♦	48

**DOOR CLOSER COMPONENTS**


**Hold-Open Forearm**



Adjustable for any degree of holding within the swing of the door; For closer sizes #1 thru #5 on series 500S (pg. 33), Compact Series (pg. 34) & 500BC (pg. 34)

CODE	FINISH	PACK	INNER	MASTER
35800	Aluminum	Box	4	24
35805	Bronze	Box	4	24


**Flat Drop Bracket**



Fits most overhead hydraulic door closers; Used when top door rail or top jamb provides insufficient support area for closer; For closer sizes #4 & #5 only

CODE	SIZE	FINISH	PACK	INNER	MASTER
58007	3-1/2" x 9-3/4"	Aluminum	Box	5♦	30
58009	3-1/2" x 9-3/4"	Bronze	Box	5♦	30

**Closer Bracket**



Parallel arm; Fits most overhead hydraulic door closers; Heavy gauge steel construction; Fits all standard arm door closers; For closer sizes #1 thru #5 on Compact Series (pg. 34) & #3 thru #5 500BC Series (pg. 34)

CODE	FINISH	PACK	INNER	MASTER
11010	Aluminum	Polybag	10	100
11012	Bronze	Polybag	10	100

**SURFACE MOUNT EXIT BARS**

- ANSI grade 1
- Surface mount strike with extra shim
- Fits all doors from 1-1/2" up to 2" thick


- Slant design eliminates open space gaps
- Release mechanism activates at 8 lbs. of touch pressure
- No dogging device

**Reversible Rim Fire Exit Device**

Fire exit hardware device designed for use with swinging fire doors of hollow metal and sheet metal; Fits all doors from 36" up to 42" in width; Suitable for all wood, steel, glass or aluminum doors; Furnished w/ stainless steel sex bolts; Outside cylinder sold separately



*Fire Rated Up To 1-1/2 Hours  
For Use On Single & Double Doors*





*See Storefront Hinge Kit  
on Page 67  
codes 35560 & 35561*

CODE	TYPE	BACKSET	FINISH	PACK	INNER	MASTER
02054	Wide Head	2-3/4"	Duranodic Bronze	Box	1	6
02055	Wide Head	2-3/4"	Aluminum	Box	1	6


**Entry For Wide Head Panic Bars**

Exit with key lock; SC-4 keyway; UL listed for fire door assembly



CODE	TYPE	KEYED	FINISH	PACK	INNER	MASTER
02052	Knob	KD	Stainless Steel	Box	1	20
02053	Lever	KD	Stainless Steel	Box	1	20

**Panic Bar Strike Double Door**




Size: 2-1/2" x 3-3/16" x 1/2"; For use with double door with no mullion; For use with code numbers 02054 & 02055 only

CODE	MATERIAL	PACK	INNER	MASTER
72062	Stainless Steel	Box	1	100

*Panic Bar Components 02052, 02053 and 72062 are for use with surface mount exit bars 02054 and 02055 found above.*

**Replacement Cylinders**



Solid cast brass; 5-Pin Tumbler Schlage Keyway SC-1; 1-3/8" Diameter face plus trim ring; Unlimited key changes; Furnished w/ 2" calibrated spindle; Reversible, adjustable construction



CODE	KEYED	FINISH	PACK	INNER	MASTER
17027	KD	Stainless Steel	Box	3♦	81
17031	KA	Stainless Steel	Box	3♦	81

*For codes 02047, 02048, 02056, 02057 (pg. 37), 02054, 02055 (pg. 36), 02060, 02065, 02062 and 06063 (pg. 38)*


**SURFACE MOUNT EXIT BARS** *continued*

- ANSI grade 1
- Reversible for all functions & trims
- Surface mount strike with extra shim
- Fits all doors from 1-1/2" up to 2" thick
- Slant design eliminates open space gaps


- Hex key dogging device
- Surface mount non-handed reversible panic bar
- Release mechanism activates at 8 lbs. of touch pressure
- Suitable for all wood, steel, glass or aluminum doors

**Reversible Rim 5-Pin Tumbler Cylinder**

Fits all doors from 29" up to 42" in width; Narrow head designed for all glass, metal & wood doors; Wide head designed for hollow metal or flush wood doors; Fits 1-1/4" narrow style aluminum & glass entry doors




CODE	TYPE	FINISH	KEYED	PACK	INNER	MASTER
02047	Narrow Head	Aluminum	KD	Box	1	6
02048	Narrow Head	Duranodic Bronze	KD	Box	1	6
02056	Wide Head	Aluminum	KD	Box	1	6
02057	Wide Head	Duranodic Bronze	KD	Box	1	6



**Entry For Wide Head Panic Bars**

Exit key lock SC-4 keyway; Can be locked open




CODE	TYPE	KEYED	FINISH	PACK	INNER	MASTER
02058	Knob	KD	Stainless Steel	Box	1	20
02059	Lever	KD	Dull Chrome	Box	1	20

*Fits surface mount exit bars 02070 & 02071 pg. 38 and 02047, 02048, 02056 and 02057 (found above).*

**Panic Bar Strike Double Door**

Size: 2-1/2" x 3-3/16" x 5/8"; For use with double door with no mullion; For use with code numbers 02047, 02048, 02056 and 02057



CODE	MATERIAL	PACK	INNER	MASTER
72064	Stainless Steel	Box	1	100


*Panic Bar Component 72064 is for use with surface mount exit bars 02047, 02048, 02056, and 02057 (found above).*

**PANIC BAR PULL PLATE**

Dimensions

- Cylinder diameter: 1-3/16"
- Back plate: 4-1/2"L x 3-1/2"W
- Hole centers: 3-9/16"
- Pull offset: 1"

Furnished with outside cylinder hole; Can be used with any rim cylinder; For exterior application



**SEX BOLTS**


Sold in 8 piece sets: 4 male & 4 female



CODE	FINISH	PACK	INNER	MASTER
59099	Primecoat	Polybag	6♦	48

CODE	FINISH	INNER	MASTER
07040	Aluminum	10♦	200
07045	Bronze	10♦	200

**SURFACE MOUNT EXIT BARS** *continued*



ANSI 156.3 Grade 2; Fits all doors from 30" to 36" in width; 4-1/2" Minimum style; Reversible for all function and trim hex key dog device; Surface mount strike with extra shim; Exterior trim not included; Works with 02058 ball knob and 02059 lever (pg. 37)



CODE	TYPE	FINISH	PACK	INNER	MASTER
02070	Widehead	Aluminum	Box	1	6
02071	Widehead	Bronze	Box	1	6

**SURFACE MOUNT VERTICAL ROD EXIT DEVICES**

- ANSI Grade 1
- Fits all doors from 1-1/2" up to 2" thick
- Surface mount non-handed panic bar
- Wide head touch bar-panic bar for hollow metal or flush wood doors
- Reversible for all functions & trims
- Surface mount strike with extra shim
- Release mechanism activated by simple touch with 8 lbs. of touch pressure
- Furnished with pullman latch top & bottom, with retraction hold in top latch
- Stainless steel latchbolt, top and bottom: 3/4" throw
- No dogging device
- Steel deadbolt; top: 1/2" throw
- Slant design eliminates open space gaps

**Standard Heavy Duty Exit Device — Grade 1**

Fits all doors from 29" up to 42" wide & 84" high; Furnished w/ 5-pin SC1 key-way; Door height, 40" from finished floor to a 7' door standard



CODE	FINISH	PACK	INNER	MASTER
02060	Satin Aluminum	Box	1	6
02065	Duranodic Bronze	Box	1	6

**Fire Rated Exit Devices — Grade 1**

Fire rated exit devices meet or exceed standards for "Fire Tests of Door Assemblies", UL10B (ANSI/UL10B, NFPA 252, ASTM E-152); For use with swinging fire doors of the hollow metal, wood, wood composite and sheet metal; For use on single and double swinging doors rated up to 1-1/2 hours; Fits all doors from 36" to 42" wide & 84" high; Outside cylinder sold separately; Furnished w/ stainless steel sex bolts



CODE	FINISH	PACK	INNER	MASTER
02062	Satin Aluminum	Box	1	4
02063	Duranodic Bronze	Box	1	4

**VERTICAL ROD DEVICES**  
With latching at the top & bottom of the door depressing the pushbar retracts both latches & allows the door to swing free.

*Single Door with Vertical Device*

*Pair of Doors with Rim Device and Vertical Device*

*Pair of Doors with Two Vertical Devices*


*Latch retraction hold in the top. Retainer is released when it engages the strike.*

*Bottom sliding drop bolt, operates the hold and released by the top latch.*

**Fire Rated Up To 1-1/2 Hours  
For Use On Single & Double Doors**

**ELECTRIC STRIKE**

For use with metal doors; Non-fail safe; 24V AC/DC; Direct current or alternative; Locked position; Wiring diagram available upon request; Face plate not included



CODE	PACK	INNER	MASTER
72008	Box	1	25

**ELECTRIC STRIKE COMPONENTS**


**Aluminum Face Plates**



CODE	COLOR	PACK	INNER	MASTER
57555	Aluminum	Polybag	1	200
57556	Bronze	Polybag	1	200

**Transformer**


Converts 120V AC/DC to 12/24V AC/DC; Outer dimensions: 2" x 2-1/2" x 2-3/4" x 6"w; 6" Electric wire; Wiring diagram available upon request



CODE	PACK	INNER	MASTER
91050	Box	1	20

**JAMB BRACE REINFORCER**


Heavy duty theft deterrent system; To be installed w/ grade 2 deadbolts; Strengthens frame; Concealed w/interior door trim; Fits all door types; Furnished w/strike plate screws



CODE	COLOR	PACK	INNER	MASTER
58170	Aluminum	Polybag	1	10


**PULL HANDLES**

1-1/8" Cylinder hole; Cylinder not included; 1" x 7-1/2" Solid aluminum pull; 7" Hole centers; Fits doors up to 2" thick; Furnished w/studs for thru bolts



CODE	MATERIAL	SIZE	FINISH	PACK	INNER	MASTER
59096	Aluminum	3-1/2" x 16"	Aluminum	Box	1	40

Heavy duty; Drilled and countersunk holes; Overall size 3-1/2" x 15"; Furnished w/screws



CODE	MATERIAL	GRIP	FINISH	PACK	INNER	MASTER
58020	Solid Brass	6"	Brass	Card	5♦	30
58016	Aluminum	7"	Satin Anodized	Card	5♦	30
58014	Aluminum	7"	Satin Anodized	Box	3	48

**DOOR PUSH PLATES**


Weatherproof; Rustproof; Residential or commercial doors; Furnished w/screws



CODE	SIZE	MATERIAL	PACK	INNER	MASTER
58060	3-1/2" x 15"	Solid Brass	Card	10♦	60
58030	3-1/2" x 15"	Aluminum	Card	10♦	100
58050	3" x 12"	Brass	Polybag	12	120
58040	3" x 12"	Aluminum	Polybag	12	240
58035	3-1/2" x 15"	Brass	Polybag	3♦	12
58025	3-1/2" x 15"	Aluminum	Polybag	12	240

**NARROW STYLE DEADLOCKS & LATCHES**

**Dead Locks**



*Standard Bolt  
Cylinder Sold  
Separately*

*Hook Bolt  
Cylinder Sold  
Separately*

For installation in narrow style aluminum doors; 360° turn of key throws or retracts counter balanced bolt; Key can be removed only when bolt is in positive locked or unlocked position; Lock accepts any standard thread mortise cylinder from either or both sides; Weatherstrip face plates


CODE	TYPE	BACKSET	FINISH	PACK	INNER	MASTER
44645	Standard Bolt	31/32"	Aluminum	Box	6◆	36
44646	Standard Bolt	1-1/8"	Aluminum	Box	6◆	36
44655	Hook Bolt	31/32"	Aluminum	Box	6◆	36
44656	Hook Bolt	1-1/8"	Aluminum	Box	6◆	36

*Cylinder Replacements*



*See Page: 31*

**Dead Latches**




*All Zinc Latch*

*Zinc & Delrin  
Latch*

Can be used with lever handles & paddles; Case size is 1" x 5-13/16"; Standard strike plate furnished is for flat jamb where door closes flush; Latchbolt can be fixed in "hold-open" position with the use of a mortise cylinder key; Latchbolt is 5/8" x 1" W w/ 1/2" throw; Plated zinc alloy with hardened steel internal pins, Delrin plastic insert guarantees quiet strike latching; Non-handed; Furnished with dual strike plate, machine screws and matching face plate; Spring loaded latchbolt will retract by turning key in cylinder or operating inside lever handle or push paddle; The lock accepts any standard thread mortise cylinder from either or both sides

CODE	MATERIAL	BACKSET	FINISH	PACK	INNER	MASTER
44686	All Zinc Latch	31/32"	Satin Aluminum	Box	6◆	36
44688	All Zinc Latch	1-1/8"	Satin Aluminum	Box	6◆	36
44690	Zinc & Delrin Latch	31/32"	Satin Aluminum	Box	6◆	36
44692	Zinc & Delrin Latch	1-1/8"	Satin Aluminum	Box	6◆	36

*Cylinder Replacements*



*See Page: 31*

*See Replacement  
Strikes on Pages  
110 - 111*



**NARROW STYLE DEADLOCKS & STOREFRONT ACCESSORIES**

**Lever Handles with Cam Plugs**




Heavy duty cast alloy construction; Conforms to building and ADA handicap codes; Fits most makes and models of aluminum narrow style locks; Reversible for right or left hand doors; Escutcheon plate 1-3/8" x 4"; 1/4" Square spindle that inter-locks with plug; Sag proof heavy duty spring mechanism for lever handle; Lever operates in up or downward positions; Furnished w/ reversible cam plug & screws



CODE	MATERIAL	FINISH	PACK	INNER	MASTER
31618	Cast Alloy	Aluminum	Box	1	50
31619	Cast Alloy	Bronze	Box	10	50

**Push or Pull Paddles**



Zinc die cast housing hard coat finish; For aluminum doors; Extruded aluminum paddle; Heavy duty compression springs; Reversible non-handed gear blocks; Hardened steel gear wheel; 1/4" Thick solid brass nuts and case hardened steel bolts; Furnished with cam plug

CODE	FINISH	HAND	PACK	INNER	MASTER
54000	Duranodic Bronze	Right	Box	1	20
54005	Duranodic Bronze	Left	Box	1	20
54010	Satin Aluminum	Right	Box	1	20
54015	Satin Aluminum	Left	Box	1	20


**JIMMY PROOF DEADLOCKS**



Heavy duty rim-cylinder; For use on 1-3/8" to 2-1/2" thick doors; Reinforced throw-bolt; Overall size: 4-1/2" x 3-1/2"; 5-Pin tumbler, solid brass cylinder; Furnished w/ angle strike bracket




CODE	FINISH	PACK	INNER	MASTER
43315	Antique Brass	Clamshell	6	36




Single

Jimmyproof lock with shutterguard; Fits doors 1-1/4" to 2-1/4" thick; Double cylinder features cylinders both inside and outside for extra protection on glass pane door; Surface installation requires one 1-1/4" diameter hole; Furnished w/ angle strike bracket

CODE	CYLINDER	FINISH	PACK	INNER	MASTER
44860	Single	Brass	Clamshell	5♦	20
44850	Double	Brass	Clamshell	5♦	20



Double




\*Angle keeper shown

Single cylinder; Die cast housing; For use on 1-3/8" to 2-1/2" thick doors; Twin interlocking drop bolt; 5-Pin tumbler brass cylinders

CODE	KEEPER	FINISH	PACK	INNER	MASTER
44857	Angle	Brass	Box	3♦	24
44858	Flat	Brass	Box	3♦	24




**RIM CYLINDER NIGHT LATCH**



43300

For doors 1-3/8" to 2-1/2" thick; Requires 1-1/4" diameter hole; Surface installation, no mortising required; Hold back bolt-stop button on 43300; Key outside, turn knob inside; Features exclusive deadlock; Furnished w/ angle strike bracket

CODE	TYPE	KEYWAY	FINISH	PACK	INNER	MASTER
43300	Nightlatch	Y1	Brass	Clamshell	6♦	24
43310	Deadlatch	SE1	Brass	Clamshell	6♦	24



43310

